**RevSpring Connect for Payers, Cost**
**Price Transparency Data Specification**
**Scenario 3 Customers v6-DRAFT SUBJECT TO CHANGE**
**©2026, RevSpring | Confidential**

This service supplies Cost data and does not host MRFs. Use updated PLAN_DETAILS to map products to MRF_Key sources. EXTERNAL_MRF_MAPPING applies when Cost consumes payer/vendor files: join mrfKey to MRF_Key, and productCode to Product_Code when supplied; blank productCode feeds every product on that MRF_Key. precedenceForCost is required only when more than one file maps to the same MRF_Key and product. No ToC, attestation or MRF-only plan/network metadata is required.

This Cost-only v6 input is a draft, not an implemented delivery contract. New field IDs are logical, not final physical positions; payer-file parsing and the Cost source/product join are not implemented. Do not submit this layout until the format and rollout are agreed. Yellow identifies proposed new or changed fields.

For each applicable file, field requirements apply within that file, not to clients who do not use it. Flat files are pipe-delimited without headers and follow the filename and control-file conventions.

**Legend: R = required; C = conditional; O = optional; NA = not applicable; TBD = unresolved. Proposed default or synthetic metadata is for testing only; hosting requires confirmed client data.**

| File / worksheet | Purpose | When applicable |
|---|---|---|
| **REQUIRED FILES** | | |
| CONTROL_FILE | Manifest with each file, record count and spec version. | Send last after the data set. |
| PLAN_DETAILS | Product-to-MRF_Key mapping; MRF-only fields are NA. | Every delivery. |
| **CONDITIONAL FILES** | | |
| EXTERNAL_MRF_MAPPING | MRF_Key-to-payer-file mapping, optionally scoped and ranked by product. | When Cost uses payer/vendor files. |
| BILLING_CODES | Billing-code names and descriptions. | When your Cost feed uses billing codes. |
| POS_MAPPING | Place-of-service collection mappings. | When your Cost feed uses place-of-service codes. |
| OUTOFNETWORK_ALLOWED_AMOUNT | Cost out-of-network maximum allowed amounts. | When your Cost service uses out-of-network maximums. |
| **REFERENCE** | | |
| Change Log | Version history. | Reference. |

| CLIENTCODE_CONTROL_FILE_YYYYMMDD_HH24mmss.txt | | | | | | | |
|---|---|---|---|---|---|---|---|
| Field ID | Required (R) | Field Name | Length | Type | Valid Values / Format | Description and Notes | RevSpring Guidance |
| 1 | R | Full_File_Name | 120 | Character | | Full name of the file including extention | |
| 2 | R | Record_Count | 120 | Character | | The number of records included in the extract | Record_Count for JSON files can be |
| 3 | R | DataSpec_Version | 120 | Character | e.g 4.5 | version. | |
| 4 | R | File Type | 120 | Character | TXT, JSON | Compliant JSON files | |

**<CLIENTCODE>_PLAN_DETAILS_YYYYMMDD_HH24mmss.txt | DRAFT v6 COST: logical fields; delivery order TBD**

| Field ID (logical) | MRF hosting: NA for this service | Member Cost Search: R / C / O / NA | Field Name | Length | Type | Valid Values / Format | Description and Notes | Additional Documentation Reference | Matched with Provider | Search Reviews Customer Data Specification | CMS MRF Field | CMS MRF Field Name / Location | Application Usage | RevSpring Guidance |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | NA | R | Insurer_Code | 20 | Character | <CLIENTCODE>_I | Work with RevSpring Connect for Payers to get the assigned insurer code. | See Transparency in Cost Companion Guide for description on joining MRF to R | Yes | CLIENTCODE_PROVIDER_EXTRACTDATE.txt, Field Name = "Insurer Code" | No | | | |
| 2 | NA | R | Client_Brand_Code | 20 | Character | Connect for Payers Brand_Code | Work with your Customer Success Partner to get the assigned brand code. To match with SAML BRANDCODE. Also allows for brand specific configurations. | Draft note: Existing client brand code used for Cost. Keep the value agreed for your configured feed. | Yes | CLIENTCODE_PLANMENULINK_EXTRACTDATE.txt, Field Name = "Sub Client Code" | No | | | |
| 3 | NA | R | MRF_Key | TBD | Character | I/IO: Network_ID; O: Market_Segment | Replaces Plan_Collection_Key. Maps each Product_Code to its Cost sources: I/IO uses Network_ID; O uses Market_Segment. No MRF-only plan identity or NTWK_MAPPING is required. | | | | No | | | |
| 4 | NA | NA | Reporting_Entity_Name | 120 | Character | | The legal name of the entity publishing the machine-readable file. | Draft note: Not used by this Cost-only service; leave blank. Retain its logical field in the agreed v6 layout; MRF requirements do not apply. | | | Yes | table-of-contents file, "reporting_entity.name"<br>in-network rates file, "reporting_entity.name" | | |
| 5 | NA | NA | Reporting_Entity_Type | 120 | Character | group_health_plan, health_insurance_issuer, third_party_administrator, claims_clearinghouse, other_third_party | The type of entity that is publishing the machine-readable file (a group health plan, health insurance issuer, or a third party with which the plan or issuer has contracted to provide the required information | Draft note: Not used by this Cost-only service; leave blank. Retain its logical fiel | | | Yes | table-of-contents file, "reporting_entity.type"<br>in-network rates file, "reporting_entity.type" | | |
| 6 | NA | R | MRF_Type | 3 | Character | I, O or IO | For RevSpring to determine if MRF_Key is applicable for in-network, out-of-network or both. Each plan/product/network or market association should be unique. | Draft note: Coverage type used by Cost processing. Preserve product/source associations; this service does not host an MRF. | | | No | | | |
| 7 | NA | R | Product_Code | 120 | Character | | Determines unique products sent in provider search data feed; Same product-code that is passed in member SAML to get in-network providers | See Transparency In Cost Companion Guide for description on joining MRF to RevSpring Connect for Payers<br><br>Draft note: Determines unique products sent in provider search data feed; Same product-code that is passed in member SAML to get in-network providers. Must match the provider-data product code; Cost links providers to rates through it. | Yes | CLIENTCODE_PROVIDER_EXTRACTDATE.txt, Field Name = "Product Code" | No | | | |
| 8 | NA | NA | Plan_ID | 14 | Character | HIOS: 10-character plan ID or 5-digit issuer fallback; EIN: 9 digits, with or without a hyphen | The 10-digit Health Insurance Oversight System (HIOS) identifier, or, if the 10-digit HIOS identifier is not available, the 5-digit HIOS identifier, or if no HIOS identifier is available, the Employer Identification Number (EIN) for each plan or coverage offered by a plan or issuer. | See Transparency In Coverage Companion Guide for details decryption on CMS plan reporting requirements.<br><br>Draft note: Not used by this Cost-only service; retain the position if present in your configured input. Preserve a valid 10-character HIOS plan ID when supplied. | | | Yes | table-of-contents file, "plans[].plan.plan_identifier.hios" or "plans[].plan.plan_identifier.ein" | | |
| 9 | NA | NA | Plan_ID_Type | 20 | Character | "HIOS" or "EIN"<br>Note conditionally required field of Plan_Sponsor_Name when this value is "EIN".<br>**Case sensitive value per CMS. Provide in the case format shown. | Describes the plan ID type as either HIOS or EIN | Draft note: Not used by this Cost-only service; leave blank. Retain its logical field in the agreed v6 layout; MRF requirements do not apply. | | | Yes | table-of-contents file: selects "plan_identifier.hios" or "plan_identifier.ein"; not published as a value | | |
| 10 | NA | NA | Plan_Name | 120 | Character | | The plan name and name of plan sponsor and/or insurance company e.g. Maximum Health Plan. | Draft note: Not used by this Cost-only service; leave blank. Retain its logical field in the agreed v6 layout; MRF requirements do not apply. | | | Yes | table-of-contents file, "plans[].plan.plan_name" | | |
| 11 | NA | NA | Plan_Market_Type | 120 | Character | "group" or "individual".<br><br>**Case sensitive value per CMS. Provide in the case format shown. | Describes the plan market type as either group or individual plan | Draft note: Not used by this Cost-only service; leave blank. Retain its logical fiel | | | Yes | table-of-contents file, "plans[].plan.plan_market_type" | | |
| 12 | NA | NA | Payer_or_Issuer_Name | 120 | Character | This value is used in the TOC file name - collection issuer name for the multiple plans. | To Create unique TOC/Table Of Contents file name. One Payer/Issuer Name can have multiple plan collection keys but each plan collection can have only one payer_issuer_name. Additionally only one Payer or Issuer Name can have one Reporting_Entity_Name and Reporting_Entity_Type to be in compliance with CMS one TOC entry. | Draft note: Not used by this Cost-only service; leave blank. Retain its logical field in the agreed v6 layout; MRF requirements do not apply. | | | No | | | |
| 13 | NA | NA | Plan_Issuer_Name | 120 | Character | | The name of the plan's issuer - local to individual plan when multiple plans are aggregated. This value is an individual plan's level issuer name if any and is in the TOC contents. If not used then Payer_or_Issuer_Name will be used. | Draft note: Not used by this Cost-only service; leave blank. Retain its logical field in the agreed v6 layout; MRF requirements do not apply. | | | Yes | table-of-contents file, "plans[].plan.issuer_name" | | |
| 14 | NA | NA | Plan_Sponsor_Name | 120 | Character | | This value is required when the Plan_ID_Type is "EIN". | Draft note: Not used by this Cost-only service; leave blank. Retain its logical field in the agreed v6 layout; MRF requirements do not apply. | | | Yes | table-of-contents file, "plans[].plan.plan_identifier.plan_sponsor_name" | | |
| 15 | NA | C | Market_Segment | TBD | Character | individual, small_group, large_group, self_insured | Required on O rows and equals MRF_Key. Not required on I/IO rows for Cost-only; this is source association, not a CMS allowed-amount publication requirement. | CMS 3.0 draft ToC output: market segments | | | Yes | table-of-contents file, "plans[].plan.market_segment" and the "allowed_amount_files" key | | |
| 16 | NA | NA | Product_Type | TBD | Character | hmo (health maintenance organization)<br>ppo (preferred provider organization)<br>epo (exclusive provider organization)<br>pos (point of service)<br>hdhp (high deductible health plan)<br>indemnity | Not used by this Cost-only service; leave blank. Retain its logical field in the agreed v6 layout; MRF requirements do not apply. | CMS 3.0 draft ToC output: product types | | | Yes | table-of-contents file, "plans[].plan.product_type" | | |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 17 | NA | NA | Product_Type_Description | TBD | Character | Free text | Not used by this Cost-only service; leave blank. Retain its logical field in the agreed v6 layout; MRF requirements do not apply. | CMS 3.0 draft ToC output: allowed Product_Type values | Yes | table-of-contents file, "plans[].plan.product_type_description" |
| 18 | NA | C | Network_ID | | 100 Character | Proposed: [A-Za-z0-9._-], maximum 100 characters | Required on I/IO rows and equals MRF_Key; blank on O. No NTWK_MAPPING or MRF network metadata is required for Cost-only. It keys Cost files only; providers link by Product_Code. | | Yes | table-of-contents file, "plans[].network_references[].network_id" |
| 19 | NA | NA | Precedence | TBD | Integer | Positive integer; 1 first | Not used by this Cost-only service; leave blank. Retain its logical field in the agreed v6 layout; MRF requirements do not apply. | | Yes | table-of-contents file, "plans[].network_references[].precedence" |
| 20 | NA | NA | Tier | TBD | Integer | Positive integer | Not used by this Cost-only service; leave blank. Retain its logical field in the agreed v6 layout; MRF requirements do not apply. | | Yes | table-of-contents file, "plans[].network_references[].tier" |
| 21 | NA | NA | Tier_Label | TBD | Character | Required when Tier is populated | Not used by this Cost-only service; leave blank. Retain its logical field in the agreed v6 layout; MRF requirements do not apply. | | Yes | table-of-contents file, "plans[].network_references[].tier_label" |
| 22 | NA | NA | Group_Number | TBD | Character | Employer group number | Not used by this Cost-only service; leave blank. Retain its logical field in the agreed v6 layout; MRF requirements do not apply. | | Yes | table-of-contents file, "plans[].plan.group_numbers[]" |

| EXTERNAL_MRF_MAPPING \| DRAFT v6 COST: logical fields; filename and order TBD | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Field ID (logical) | Required (R) / Conditional (C) / Optional (O) / NA | Field Name | Length | Type | Valid Values / Format | Description and Notes | Additional Documentation Reference | Matched with Provider | Search Reviews Customer Data Specification Corresponding Field | CMS MRF Field | CMS MRF Field Name / Location | Application Usage | RevSpring Guidance |
| 1 | R | insurerCode | | 20 Character | <CLIENTCODE>_I | Assigned insurer code. | | | | No | | | |
| 2 | R | mrfKey | TBD | Character | I/MI/CI: Network_ID; O: Market_Segment | Replaces planCollectionKey. Matches PLAN_DETAILS.MRF_Key; no NTWK_MAPPING is required for Cost-only. | | | | Yes | table-of-contents file, "networks[].network.network_id" for in-network files; "allowed_amount_files.<market_segment>" key for out-of-network files | | |
| 3 | R | mrfType | | 3 Character | I, O, MI or CI | Type of MRF: I = In-network (MRF and Cost); O = Out-of-network; MI = In-network (MRF only); CI = In-network (Cost only). | In phase 2 this will be expanded to handle Rx, Tx, Ut, Txt | | | No | | | |
| 4 | NA | reportingEntityName | TBD | Character | Blank for Cost-only | Not used by this Cost-only service; leave blank. No table of contents or attestation is hosted. | | | | Yes | table-of-contents file, "reporting_entity.name" | | |
| 5 | C | externalMrfUrl | TBD | Character | Full URL of a file the client hosts | Each row has exactly one of externalMrfUrl or externalMrfFileName. Confirm how the file is delivered to the consumer; a URL alone does not establish remote ingestion. | | | | Yes | table-of-contents file, "networks[].in_network_files[].location" or "allowed_amount_files.<market_segment>.location" | | |
| 6 | C | externalMrfFileName | TBD | Character | Filename of a file delivered to us | Proposed one-file-per-row mapping for files consumed for Cost, not publicly hosted by this service. How to represent multiple 3.0 network segments is still open. | | | | Yes | table-of-contents file, "networks[].in_network_files[].location" or "allowed_amount_files.<market_segment>.location" (after hosting) | | |
| 7 | NA | externalMrfDescription | TBD | Character | Blank for Cost-only | Publication-only description; leave blank for Cost-only. | | | | Yes | table-of-contents file, "networks[].in_network_files[].description" or "allowed_amount_files.<market_segment>.description" | | |
| 8 | O | productCode | TBD | Character | Product_Code from PLAN_DETAILS | For Cost, joins this file to PLAN_DETAILS on MRF_Key and Product_Code; blank feeds every product on the MRF_Key. | | | | No | | | |
| 9 | C | precedenceForCost | TBD | Number | Rank among overlapping files; 1 first | For Cost, required only when more than one file maps to the same MRF_Key and product (blank productCode counts as every product). Existing external-file precedence is disabled by default; the product-scoped v6 mapping is proposed, not implemented. This is separate from PLAN_DETAILS.Precedence, which orders a plan's published networks. Example: one CI file for product P1, leave blank; two CI files for P1 mapped to the same MRF_Key, rank them 1 and 2. | | | | No | | | |

| <CLIENTCODE>_BILLING_CODES_YYYYMMDD_HH24mmss.txt \| Existing input; confirm the applicable source | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Field ID (position) | MRF & Cost, Required (R) / Conditional (C) | Field Name | Length | Type | Valid Values / Format | Description and Notes | Additional Documentation Reference | Matched with Provider data for RevSpring Connect for Payers | Search Reviews Customer | CMS MRF Field | CMS MRF Field Name / Location | Application Usage | RevSpring Guidance |
| 1 | R | Billing_Code | 20 | Character | | The code used by a plan or issuer or its in-network providers to identify health care items or services for purposes of billing, adjudicating, and paying claims for a covered item or service. | | | | Yes | in-network rates file, "in_network[].billing_code" and "bundled_codes[].billing_code" | | |
| 2 | R | Billing_Code_Type | 20 | Character | Refer to the CMS link in description for the list of valid values for this field. | Common billing code types. Please see a list of the currently allowed codes in the external reference.<br><br>https://github.com/CMSgov/price-transparency-guide/tree/master/schemas/in-network-rates#additional-notes-concerning-billing_code_type | Existing CMS in-network billing-code reference | | | Yes | in-network rates file, "in_network[].billing_code_type" and "bundled_codes[].billing_code_type" | | |
| 3 | R | Billing_Code_Type_Ver | 80 | Character | | There might be versions associated with the billing_code_type. For example, Medicare is currently using ICD's version 10 | | | | Yes | in-network rates file, "in_network[].billing_code_type_version" and "bundled_codes[].billing_code_type_version" | | |
| 4 | R | Billing_Code_Name | 120 | Character | | Generic Name for the billing code (e.g. Knee Replacement) | | | | Yes | in-network rates file, "in_network[].description" and "bundled_codes[].description" | | |
| 5 | R | Billing_Code_Type_Description | 120 | Character | | Brief description of the item/service (e.g. Arthroplasty, knee condyle and plateau, medial and lateral compartments) | | | | No | | | |

| <CLIENTCODE>_POS_MAPPING_YYYYMMDD_HH24mmss.txt \| Existing input; apply when your feed uses POS | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Field ID (position) | MRF & Cost, Required (R) / Conditional (C) | Field Name | Length | Type | Valid Values / Format | Description and Notes | Additional Documentation Reference | Matched with Provider | Search Reviews Customer Data Specification Corresponding Field | CMS MRF Field | CMS MRF Field Name / Location | Application Usage | RevSpring Guidance |
| 1 | R | Insurer_Code | 20 | Character | <CLIENTCODE>_I | Work with RevSpring Connect for Payers to get the assigned insurer_code | | Yes | CLIENTCODE_PROVIDER_EXTRACTDATE.txt, Field Name = "Insurer Code" | No | | | |
| 2 | R | POS_Collection_Key | 120 | Character | Client assigned unique key | Used to group the POS/Place Of Service codes that have the same negotiated rate for a given item or service | See the Transparency in Cost Companion Guide for | | | Yes | in-network rates file, groups "service_code_sets[].service_code[]" and generated "negotiated_prices[].service_code_set_id" references | | |
| 3 | R | Place_Of_Service_Code | 7 | Character | Valid CMS Place of Service Code or default code, "CSTM-00" | The CMS-maintained two-digit code that is placed on a professional claim to indicate the setting in which a service was provided. This value maps to both the INNETWORK_NEGOTIATED_RATE value and the OUTOFNETWORK_ALLOWED_AMOUNT value | https://www.cms.gov/Medicare/Coding/place-of- | | | Yes | in-network rates file, "service_code_sets[].service_code[]" or "negotiated_prices[].service_code[]" | | |

| <CLIENTCODE>_OUTOFNETWORK_ALLOWED_AMOUNT_YYYYMMDD_HH24mmss.txt \| Cost out-of-network maximum allowed amounts | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Field ID (position) | Cost, Required (R) / Conditional (C) | Field Name | Length | Type | Valid Values / Format | Description and Notes | Additional Documentation Reference | Matched with Provider data for | Search Reviews Customer | Application Usage | RevSpring Guidance |
| 1 | R | Update_Type | 1 | Character | A for Add | | | | | | |
| 2 | R | Insurer_Code | 20 | Character | <CLIENTCODE>_I | Work with RevSpring Connect for Payers to get the assigned insurer_code | | Yes | Name = "Insurer Code" | | |
| 3 | R | Product_Code | 120 | Character | Valid product-code that matches with SAML product-code or "ALL"<br><br>**Send "ALL" for product-code when the allowed-amount for a given billing-code maps to all the products. | Identifies the member product whose Cost estimates use this allowed amount. Do not mix ALL and specific-product rows in one input; ALL requires PLAN_DETAILS. | | | | | |
| 4 | R | Billing_Code_Type | 20 | Character | CPT, HCPCS, ICD, MS-DRG, R-DRG, S-DRG, APS-DRG, AP-DRG, APR-DRG, APC, NDC, HIPPS, LOCAL, EAPG, CDT, RC, CSTM-ALL | Billing code system for the out-of-network item or service. | | | | | |
| 5 | R | Billing_Code_Type_Ver | 80 | Character | | There might be versions associated with the billing_code_type. For example, Medicare is currently using ICD's version 10 | | | | | |
| 6 | R | Billing_Code | 20 | Character | Valid billing code based on billing code type | The billing code for the out-of-network item or service. | | | | | |
| 7 | C | POS_Collection_Key | 120 | Character | Client Assigned Key | Joins POS_MAPPING for Cost. Required for professional; a professional row without matching POS codes is not included. Confirm other Cost feed requirements. | | | | | |
| 8 | C | Allowed_Amount_Type | 120 | Character | "amount" or "percentage" (case-insensitive) | Type of allowed amount. Current validation rejects a blank value; confirm whether your feed fills it before validation. | | | | | |
| 9 | R | Allowed_Amount | | Decimal | Non-negative amount or percentage based on Allowed_Amount_Type; no dollar signs or commas.<br><br>For "percentage", .05 = .05%, .5 = .5%, 5 = 5%, and 50.5 = 50.5%. | Out-of-network maximum allowed amount for the Cost self-service tool. A blank or negative amount is invalid. | | | | | |
| 10 | O | Client_Region_Key | 120 | Character | | If the OON max varies by region, send max allowed amout at region level (Zip code). RevSpring Connect for Payers will use client_region_key to join with OON_region_xwalk file to show region specific OON max allowed amount in self-service tool for the given item or service.<br><br>If the Client_Region_Key is empty, the rate is not at all limited by any Zip Code.<br><br>***If the allowed amount does not vary by region for any of the items or services, the region_xwalk file does not need to be sent. | | | | | | |
| 11 | O | Modifier | 2 | Character | Valid billing modifier code | A procedure code modifier. e.g. 26 is for Professional component TC is for technical component. This field is not used in transforming the cost estimate. | | | | | |
| 12 | O | Billing_Class | 120 | Character | "professional" or "institutional" (case-insensitive) | Identifies the professional or institutional service class. Confirm the Cost behavior for a blank value with your feed configuration. | | | | | |

| Name | Date | Change Log Entry | Version Change |
|---|---|---|---|
| Blake Hice | 20261109 | **Scenario 3 v6 / 3.0 draft; proposed inputs and open decisions are not an implemented delivery contract.** | v6-DRAFT |
| Kathleen Freitag | 20260317 | **Updated Severity_of_Illness description to be more specific about DRG code.Updated Billing_Class description to reflect su** | 5.03 |
| Kathleen Freitag | 20251204 | **Updated Ntwk_Collection_Key descriprion for optimal data processing guidance.** | 5.02 |
| Kathleen Freitag | 20251117 | **Updated Length of Place_of_Service_Code to include new value of 7 to accommodate for CSTM-00 value.** | 5.01 |
| Kathleen Freitag | 20251016 | **Added fields and files to support CMS Price Transparency Data Schema 2.0Updated PLAN_DETAILS file with followingAdde** | 5.00 |
| Kathleen Freitag | 20250625 | **Separated supplemental files from required files.Updated header rows for each tab, tab names, and changed Intro tab** | 4.99 |
| Seth Anderson | 20240923 | **Plan_Detail tab: Updated the Client_Brand_Code field description and required (R) setting.** | 4.90 |
| Seth Anderson | 20240329 | **Application Files tab: Rebranded the graphics.** | 4.80 |
| Seth Anderson | 20240304 | Updated branding, colors, font, and graphics. | 4.80 |
| Seth Anderson | 20230831 | Validation_Checks tab: added "CSTM-00" as valid value for place_of_service_code. | 4.80 |
| Seth Anderson | 20230525 | outofnetwork_allowed_amount. | 4.70 |
| Thulasi Mavureddipatty | 20221114 | Updated tabs as follows:Out-of-Network Allowed Amount tab: Corrected Allowed_Amount_Type field requirement to "Optional | 4.60 |
| Thulasi Mavureddipatty | 20221017 | OutOfNetwork_Allowed_Amount. | 4.50 |
| Thulasi Mavureddipatty | 20220812 | Validation_Checks: Includes field level validations done on price transparency data. | 4.40 |
| Jason Feinberg | 20220627 | External_MRF_Mapping: MRF_Type, row 8 fixed typo Provdier to Provider. | 4.30 |
| Ryen Sherwood | 20220613 | for required files for other scenarios. | 4.20 |
| Thulasi Mavureddipatty | 20220420 | Plan_Details: Plan_Collection_Key description is updated. It is  always required to join with other data files | 4.20 |
| Thulasi Mavureddipatty | 20220420 | Provider_Identifiers: Typo corrected to  increase the Provider_Group_Contract_Key  length from 20 to 120 | 4.20 |
| Thulasi Mavureddipatty | 20220420 | External_MRF_Mapping: Example added to External_MRF_Filename_Pattern description. | 4.20 |
| Thulasi Mavureddipatty | 20220420 | clients to group the provider group contracts separately from plan-collection-key in plan-details | 4.20 |
| Thulasi Mavureddipatty | 20220420 | Plan_Details: Plan-id description updated to align with CMS spec change | 4.20 |
| Thulasi Mavureddipatty | 20220420 | Billing_Class. | 4.20 |
| Thulasi Mavureddipatty | 20220323 | Blue Plan specific new file added : Blue_Host_Network_Mapping | 4.10 |
| Thulasi Mavureddipatty | 20220323 | Blue Plan specific new file added : Blue_Home_Plan_Mapping | 4.10 |
| Thulasi Mavureddipatty | 20220323 | Application tab updated to include two new files.  Blue_Host_Network_Mapping & Blue_Home_Plan_Mapping | 4.10 |
| Thulasi Mavureddipatty | 20220323 | Application tab updated to include  Blue Exchnage Hub Integration diagram | 4.10 |
| Thulasi Mavureddipatty | 20220307 | New file added : PlanCollectn_ProvGrpCntrct_Xwk | 4.00 |
| Thulasi Mavureddipatty | 20220307 | Plan_Collection_Key : Description updated | 4.00 |
| Thulasi Mavureddipatty | 20220307 |  | 4.00 |
| Thulasi Mavureddipatty | 20220307 | New field added :  Negotiation_Arrangement_Description | 4.00 |
| Thulasi Mavureddipatty | 20220307 | MRF_File_Pattern : Typo in description corrected | 4.00 |
| Thulasi Mavureddipatty | 20220307 | Additional Clarification added to OON Allowed Amount File | 4.00 |
| Thulasi Mavureddipatty | 20220307 | HealthSparq Data Spec Model updated | 4.00 |
| Thulasi Mavureddipatty | 20220216 | these files are required. | 3.10 |
| Thulasi Mavureddipatty | 20220215 | to field description. | 3.10 |
| Thulasi Mavureddipatty | 20220211 | Also added additional context (content with astrisk) to description of Allowed_Amount field | 3.10 |
| Keith LoMurray | 20220203 | Covered_Bundled_Key requirement changed to Conditional | 3.00 |
| Keith LoMurray | 20220203 | Region_Xwalk file requirement updated from Optional to Conditional. | 3.00 |
| Keith LoMurray | 20220130 | notes | 3.00 |
| Keith LoMurray | 20220130 | Added HealthSparq Data Specification Model | 3.00 |
| Keith LoMurray | 20220130 | Plan_Collection_Key Added | 3.00 |

| | | | |
|---|---|---|---|
| Keith LoMurray | 20220130 | Provider_Location_Details tab Removed | 3.00 |
| Keith LoMurray | 20220130 | Expiration_Date Added | 3.00 |
| Keith LoMurray | 20220130 | External_MRF_Description Added | 3.00 |
| Keith LoMurray | 20220130 | Signficant enhancements related to the MRF Data Specification Companion Guide | 3.00 |
| Keith LoMurray | 20220130 | Entity Relationship Diagram (ERD) iamge updated | 3.00 |
| Thulasi Mavureddipatty | 20211203 | Description changed in all provider-Tin fields: TIN required when it is not SSN. In case of SSN , leave it blank , HealthSparq will | 2.30 |
| Thulasi Mavureddipatty | 20211203 | Provider_Identifier : | 2.30 |
| Thulasi Mavureddipatty | 20211203 | Billing_Class field is added | 2.30 |
| Thulasi Mavureddipatty | 20211203 | Provider_Location_Details : Provider-Tin description updated | |
| Thulasi Mavureddipatty | 20211203 | changes in data. | 2.30 |
| Thulasi Mavureddipatty | 20211029 | (tab) references, hid (Rx) column D and removed Rx references from relationship diagram. | 2.20 |
| Thulasi Mavureddipatty | 20211022 | Fields have been rearranged to align with the CMS MRF Spec changes. | 2.20 |
| Thulasi Mavureddipatty | 20211022 | for. | 2.20 |
| Thulasi Mavureddipatty | 20211022 | If there are more than one leased networks for the same Plan_Collection_Key, send the order of precedence. | 2.20 |
| Thulasi Mavureddipatty | 20211022 | All Files: CMS MRF column is added to most of the files and fields that will be reported in MRF File are called out. | 2.20 |
| Thulasi Mavureddipatty | 20210928 | encrypted SSN in place of TIN. | 2.10 |
| Thulasi Mavureddipatty | 20210819 | plan-id | 2.10 |
| Thulasi Mavureddipatty | 20210819 | Provider_Identifiers: Provider/location identifiers matching requirement is called out | 2.10 |
| Thulasi Mavureddipatty | 20210819 | Provider_Location_Details: Provider/location identifiers matching requirement is called out | 2.10 |
| Thulasi Mavureddipatty | 20210816 | Par_Natl_Network_Mapping: new field MRF-Type added | 2.10 |
| Thulasi Mavureddipatty | 20210816 | Par_Natl_Network_Mapping:  Fields 9-14 changed  from required to optional | 2.10 |
| Thulasi Mavureddipatty | 20210816 | Par_Natl_Network_Mapping:  MRF Filename changed to Filename pattern | 2.10 |
| Thulasi Mavureddipatty | 20210810 | Provider_Location_Details: TIN and NPI  are added as optional fields | 2.0 |
| Thulasi Mavureddipatty | 20210810 | Provider_Identifiers: Provider Name Suffix field added | 2.00 |
| Thulasi Mavureddipatty | 20210809 | <CLIENTCODE>_PROVIDER_LOCATION_DETAILS_YYYYMMDD_HH24mmss.txt. | 2.00 |
| Thulasi Mavureddipatty | 20210727 | Plan_Details file: Plan_Name & Plan_Sponsor_Or_Issuer_Name added | 1.40 |
| Thulasi Mavureddipatty | 20210727 | All tabs updated to show if HSQ supports full file or both full and incremental files | 2.00 |
| Thulasi Mavureddipatty | 20210727 | Provider_Identifiers: Location_Key field removed | 2.00 |
| Thulasi Mavureddipatty | 20210727 | Provider_Location_Details: Provider_Key field added | 2.00 |
| Thulasi Mavureddipatty | 20210727 | InNetwork_Negotiated_Rate: NPI and TIN are added. Inline descriptions are added about the matching keys | 2.00 |
| Thulasi Mavureddipatty | 20210727 | the matching keys | 2.00 |
| Thulasi Mavureddipatty | 20210727 | Control File added | 2.00 |
| Thulasi Mavureddipatty | 20210727 | Application_Files: Control File  requirement is called out | 2.00 |
| Thulasi Mavureddipatty | 20210624 | Plan_Details tab: Plan_Code in place of SAML_Product_Code | 1.30 |
| Thulasi Mavureddipatty | 20210624 | Entity relationship diagram (Application_Files tab) updated to include plan-collection-key and pos-collection-key | 1.30 |
| Thulasi Mavureddipatty | 20210621 | New file: Par Natl Network Mapping | 1.30 |
| Thulasi Mavureddipatty | 20210621 | plan_collection_key in place of plan_id | 1.30 |
| Thulasi Mavureddipatty | 20210621 | New file: POS_Mapping | 1.30 |
| Thulasi Mavureddipatty | 20210621 | POS_Collection_Key in place of POS | 1.30 |
| Thulasi Mavureddipatty | 20210621 | Reporting Entity Name and Type fields are added to Plan File | 1.30 |
| Thulasi Mavureddipatty | 20210617 | Client_provider_Key changed to provider_key | 1.30 |
| Thulasi Mavureddipatty | 20210617 | Client_location_Key changed to location_key | 1.30 |
| Thulasi Mavureddipatty | 20210606 | Location_key(optional) added to Prescription_Drug_Contract file | 1.20 |

| | | | |
|---|---|---|---|
| Thulasi Mavureddipatty | 20210526 | aggrements  and should be blank for "Capitation" aggrement. | 1.10 |
| Thulasi Mavureddipatty | 20210526 | InNetwork_Negotiated_Rate:  Capitation_name and Capitation_description  fields added | 1.10 |
| Thulasi Mavureddipatty | 20210526 | aggrements  and should be blank for "Capitation" aggrement. | 1.10 |
| Thulasi Mavureddipatty | 20210526 | InNetwork_Negotiated_Rate:Bundle-Key name changes to covered-bundle-key. | 1.10 |
| Thulasi Mavureddipatty | 20210526 | Bundled_Billing_Codes tab name change to covered-bundled-billing_codes | 1.10 |
| Thulasi Mavureddipatty | 20210526 | Covered-bundled-billing_codes:Bundle-Key name changes to covered-bundle-key. | 1.10 |
| Thulasi Mavureddipatty | 20210526 | Application_File:ERD updated to change bundle_key to  covered-bundle-key. | 1.10 |
| Thulasi Mavureddipatty | 20210520 | Billing-Code-Master : NDC is added to list of  billing-code-types | |
| Thulasi Mavureddipatty | 20210507 | InNetwork_Negotiated_Rate: Bundled-Billing_key description is updated | 1.00 |
| Thulasi Mavureddipatty | 20210507 | New column added to all the files to indicate if the column will be matched with provider data to support HSQ One | 1.00 |
| Thulasi Mavureddipatty | 20210507 | domain | 1.00 |
| Thulasi Mavureddipatty | 20210430 | Application tab updated with OON column and  also  mentions claims data feed as a data source | 1.00 |
| Thulasi Mavureddipatty | 20210430 | Bundle-key reference is removed from OON Max file. | 1.00 |
| Thulasi Mavureddipatty | 20210415 | Bundled-Key added  to INNetwork Negotiate and Bundled Billing code files | 1.00 |
| Thulasi Mavureddipatty | 20210415 | Bundled-Code,Bundled-Type and Bundled-Type-Version fields are removed from bundled-billing-code file | 1.00 |
| Thulasi Mavureddipatty | 20210415 | Optionl Modifier field added to InNetwork negotiated and OON Max files | 1.00 |
| Thulasi Mavureddipatty | 20210415 | OON_Region_Xwalk  file  (that maps region-key to zip-codes )added | 1.00 |
| Thulasi Mavureddipatty | 20210415 | Region-key added to OON-Max-allowed-amount file | 1.00 |
| Thulasi Mavureddipatty | 20210415 | Historical rate is removed from prescription drug file | 1.00 |
| Thulasi Mavureddipatty | 20210402 | MRF, we will use claims data and we only need service level Max allowed amount for OON  to support self service tool. | 1.00 |
| Thulasi Mavureddipatty | 20210331 | OutOfNetwork_Allowed_Amount : Billed Amount filed added | 1.00 |
| Thulasi Mavureddipatty | 20210331 | InNetwork_Negotiated_Rate: Effective_Date added | 1.00 |
| Thulasi Mavureddipatty | 20210331 | type and value. File name changed from Provider_Identifiers to Provider_Location | 1.00 |
| Thulasi Mavureddipatty | 20210331 | Location_key(optional)  added to INNetwork and OutofNetwork files | 1.00 |
| Thulasi Mavureddipatty | 20210330 | Plan_Details file: plan_id_type changed from optional to required | 1.00 |
| Thulasi Mavureddipatty | 20210330 | Plan_Details file: Plan_Market_Name changed from required to optional | 1.00 |
| Thulasi Mavureddipatty | 20210330 | InNetwork_Service_Rate file name changed to InNetwork_Negotiated_Rate. File description is added | 1.00 |
| Thulasi Mavureddipatty | 20210330 | OutOfNetwork_Allowed_Amount : Description changed for Allowed_Amount and OON_Formula | 1.00 |

| | | | |
|---|---|---|---|
| Ryen Sherwood | 20210330 | Added Field ID column and corresponding ID for each row. | 1.00 |

| | | | |
|---|---|---|---|
| Thulasi Mavureddipatty | 20210319 | Historical Net price and reporting period end date added to Prescription drug rate tab | 1.00 |
| Thulasi Mavureddipatty | 20210301 | Out-of-Network Allowed Amount file added | 1.00 |
| Thulasi Mavureddipatty | 20210301 | Prescription_DrugContract file added | 1.00 |
| Thulasi Mavureddipatty | 20210301 | Drug_Contract_ID added to Prescription_DrugRate file | 1.00 |
| Thulasi Mavureddipatty | 20210301 | Decriptions updated for all the files | 1.00 |
| Thulasi Mavureddipatty | 20210301 | Overview tab updated with list of files | 1.00 |
| Thulasi Mavureddipatty | 20210223 | Out-of-Network Allowed Amount file description updated | 1.00 |
| Thulasi Mavureddipatty | 20210128 | Initial Version | 1.00 |